技术数据表

特点（ ）：



* : F3/3.8*3.0*5.2*28mm
Appearance dimension: F3/3.8*3.0*5.2*28mm
* : /
Luminous color and colloid: yellow brightness White /yellow colloid
* ROHS
Environmental protection products meet ROHS requirements
* MSL :2

*

*

*

*

应用领域（ ）：

* ;
Home appliances, digital, communication
*
Automotive Electronics
*
Lighting decoration
*
electronic toy
*
electronic clock
*
Traffic instructions
*
Medical beauty instruments
*
Electronic teaching equipment
*
Urban lighting

电性参数

Max Continuous Forward Current	IF	

亮度分档

：

代码	最小值	最大值	单位	测试条件

电压分档

：

代码	最小值	最大值	单位	测试条件

波长分档

代码	最小值	最大值	单位	测试条件

典型特性曲线

光谱分布曲线
Relative Spectral Distribution



伏安特性



正向电流降额曲线
Forward current derating curve



相对光强与正向电流特性
Relative Luminous VS Forward Current

光强与环境温度曲线
Luminous Intensity VS Ambient Temperature



相对辐射强度与空间角度关系
Radiation diagram



外形尺寸



1.

2. mm .

包装

使用注意事项(1)

LED

LED 30 70% LED

3

LED



使用注意事项（2）

Precautions (2)

LED

LED