

3025 00 F3

技术数

特点 () :

* : F3/3.8*3.0*5.2*18mm

Appearance dimension: F3/3.8*3.0*5.2*18mm

* : /

Luminous color and colloid: yellow green brightness White /water colloid

* ROHS

Environmental protection products meet ROHS requirements

* MSL :2

*

*

*

*

应用领域 () :

* ;

Home appliances, digital, communication

*

Application

*


1 0

WU\$

电性参数



Max Continuous Forward Current IF



亮度分档





:

电压分档

:



典型特性曲线



可靠性试验

Reliability Test Items And Conditions

--	--	--	--	--

Working life	Ta=25 ± 5 , IF=20mA	1000hrs	22 PCS	0/1
--------------	---------------------	---------	--------	-----

Endurance test	High temperature and high humidity experiment	Ta= 85±5 , RH= 85 90%	1000hrs	22 PCS	0/1
----------------	---	-----------------------	---------	--------	-----


High

2


2

11

T




外形尺寸




1.

2.

mm .





包装




标签说明 Label Expantion

CPN: 批号/档位	LOT: 日期/封装颜色
MPN: 型号	VF: 电压代码
WL: 波长代码	IV: 亮度代码
ORIGIN: 产地	QTY: 数量
PACKAQE: 封装	



使用注意事項 ()



使用注意事項 ()

LED

LED

